


ELEVATION




SECTION-A-A

WIND-BARS *

ALL INTERMEDIATE SHEETS REINFORCED WITH 3/4" X 3/4" STEEL SQUARE TUBING FASTENED TO CURTAIN WITH 3/16" STEEL RIVETS.

GUIDE DETAILS



STANDARD CURTAIN



GENERAL NOTES:

CURTAIN:

- 26 GAUGE GALVANIZED STEEL WITH BAKED ON EPOXY PRIMER AND POLYESTER TOP COAT

GUIDES:

- ROLL FORMED 12 GAUGE GALVANIZED STEEL

OPERATION:

- RIGHT HAND SHOWN, LEFT HAND OPPOSITE

WIND-BAR:

- 3/4" x 3/4" STEEL SQUARE TUBING RIVETED TO CENTER OF ALL INTERMEDIATE PANELS.

OTHER SURFACES:

- GALVANIZED OR SHOP COAT PRIMER

SIDE ROOM REQUIREMENTS

<input checked="" type="checkbox"/>	CHOOSE TYPE OF OPERATION BELOW	SEE 'ELEVATION'	
<input checked="" type="checkbox"/>	HAND-ROPE PULL	A-1	A-2
<input checked="" type="checkbox"/>	REDUCTION GEAR CHAIN HOIST	7'	7'
<input checked="" type="checkbox"/>	ELECTRIC MOTOR OPERATOR KIT	10'	7'

MRK.	QTY.	OPENING SIZE		OPERATION	R.H.	CLEARANCES	
		WIDTH 'W'	HEIGHT 'H'			L.H.	'X'

PROJECT:
ARCHITECT:
CONTRACTOR:
DISTRIBUTOR:



ASTA Door Corporation

4255 McEver Industrial Dr.
Acworth, GA 30101
PH:(770) 974-2600
Fax:(770) 974-1455
www.astadoor.com

DATE: SHEET: OF: BY: REF:#
MODEL 205 WIND-BAR COMMERCIAL SHEET DOOR

Asta Door Corporation is not responsible for the use of improper installation procedures, structural supports as well as field inspection prior to manufacturing and installation.

APPROVAL SIGNATURE: _____ DATE: _____