



ELEVATION


SECTION-A-A



PLAN VIEW




GUIDE DETAIL (NON-WINDLOCK)



✓ STEEL / WOOD

✓ CONCRETE / MASONRY

GUIDE DETAIL (WINDLOCK)



✓ STEEL / WOOD

✓ CONCRETE / MASONRY

GUIDE TYPE DIM.	A	B	C	D	E	F	G
		2 5/8"	3 7/8"	5 1/8"	1 1/4"	2 13/16"	4"
SIDEROOM REQUIREMENTS (CHOOSE TYPE OF OPERATION)				HEADROOM REQUIREMENTS (SEE ELEVATION)			
	ROPE PULL	CHAIN HOIST	MOTOR OPERATION	HEIGHT	'X'	'Y'	
•A-1	6'	10'	9'	UP TO 8'-0"	20'	20'	
•A-2	6'	6'	6'	UP TO 10'-0"	21'	21'	
				OVER 10'-0"	23'	23'	

- NOTE: ALL DOORS GREATER THAN OR EQUAL TO 14' WIDE A-1 AND A-2 = 7' MINIMUM
- NOTE: UPGRADE TO STRUCTURAL STEEL GUIDES A-1 AND A-2 = 7' MINIMUM
- NOTE: ALL DIMENSIONS ON CHART BASED ON INSIDE FACING OUT

GENERAL NOTES

SLATS/HOOD: SELECT FINISH OPTION BELOW:

- GALVANIZED ONLY
- GRAY POLYESTER TOP COAT
- WHITE POLYESTER TOP COAT

OTHER SURFACES:

- SHOP COAT BLACK PRIMER

OPERATION:

- RIGHT HAND SHOWN, LEFT HAND OPPOSITE

MFK.	QTY.	OPENING SIZE		OPERATION	R.H.	OPTION	PROJECT:	ARCHITECT:	CONTRACTOR:	DISTRIBUTOR:	DATE:	SHEET:	OF:	BY:	REF.#
		WIDTH 'W'	HEIGHT 'H'												
300 SERIES-COMMERCIAL SLAT DOOR W/ STRUCTURAL STEEL GUIDES (COMMERCIAL OPERATOR)															



4255 McEver Industrial Dr.
Acworth, GA 30101
PH:(770) 974-2600
Fax:(770) 974-1455
www.astadoor.com

Asta Door Corporation is not responsible for the use of improper installation procedures, structural supports as well as field inspection prior to manufacturing and installation.

APPROVAL SIGNATURE: _____ DATE: _____